CANON EC	S							FEBRUA	RY 2013	6						_	Metz
					6	Ô		Const.	6		Θ	O	Ō	Carrier Contraction Contractio	Ô.		
LATEST CAMERA MODELS		CANON EOS 6 D	CANON EOS 1 Dc	CANON EOS M	CANON EOS 1 Dx	CANON EOS 650 D	CANON EOS 5 D Mk III	CANON EOS 1100 D	CANON EOS 600 D	CANON EOS 60 D / Da	CANON EOS 550 D	CANON EOS 1D Mk IV	CANON EOS 7 D	CANON EOS 500 D	CANON EOS 5 D Mk II	CANON EOS 50 D	CANON EOS 1000 D
Availibility since Camera type		since Nov '12 DSLR	since Oct '12 DSLR	since Oct '12 ML System	since Apr '12 DSLR	since Oct '12 DSLR	since Mar '12 DSLR	since Mar '11 DSLR	since Mar '11 DSLR	since Oct '10 DSLR	since Mar '10 DSLR	since Dec '09 DSLR	since Oct '09 DSLR	since May '09 DSLR	since Nov' 08 DSLR	since Sep '08 DSLR	since July '08 DSLR
Camera flash TTL system		E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II
Built-in flash Built-in flash with Remote TTL I	Master					•		•	•	•	•		•	•		•	•
METZ MECABLITZ						•		•	•	•			•				
58 AF-2 digital for Canon					flash sa ≥									oftware V1			
58 AF-1 digital for Canon				1	flash sa ≥									oftware V2	1		
52 AF-1 digital for Canon				1					flash s∉ ≥	oftware V1				1	1		
50 AF-1 digital for Canon					flash sa ≥	vftware V2								oftware V1			
48 AF-1 digital for Canon					flash sa ≥	vftware V4					l			oftware V2			
44 AF-1 digital for Canon					flash sa ≥	oftware V2								oftware V1	l		
36 AF-5 digital for Canon									flash s	oftware							
36 AF-4 digital for Canon										V2							
24 AF-1 digital for Canon				1	 flash sa ≥	vftware V2								oftware V1	1		
METZ MECABLITZ	1	LASHES															
76 MZ-5 digital with SCA adapter			SCA 3102		are and softwar re ≥ M6 of March 2013	e version)											
45 CL 4 digital with SCA adapter	1 1		SCA 3102		vare and softwar re ≥ M6 of March 2013	e version)				SCA : softwar						3102 re ≥ M4	
54 MZ-4i digital with SCA adapter			SCA 3102	2 M6 (new hardw softwa		e version)											
15 MS-1 digital	\bigcirc									oftware V2							

CANON PC	WERS	бнот						FEBRUA	RY 2013	}						Metz
		Caller									50 Control 1			<u>j</u>		
LATEST CAMERA MODELS		CANON PowerShot SX 50 HS	CANON PowerShot G 15	CANON PowerShot G 1 X	CANON PowerShot SX 40 HS	CANON PowerShot G 12	CANON PowerShot SX 30 IS	CANON PowerShot G 11	CANON PowerShot SX 20 IS	CANON PowerShot SX 1 IS	CANON PowerShot G 10	CANON PowerShot SX 10 IS	CANON PowerShot G 9	CANON PowerShot S5 IS		
Availibility since Camera type Camera flash TTL system Built-in flash		since Oct '12 System E-TTL II	since Oct '12 System E-TTL II	since Feb '12 System E-TTL II	since Oct '11 System E-TTL II	since Nov '10 System E-TTL II	since Aug '10 System E-TTL II	since Oct '09 System E-TTL II	since Sep '09 System E-TTL II	since Dec '08 System E-TTL II	since Oct '08 System E-TTL II	since Oct '08 System E-TTL II	since Oct '07 System E-TTL II	since Jun '07 System E-TTL II		
Built-in flash with Remote TTL I																
58 AF-2 digital for Canon	Ţ							flash software ≥ V1								
58 AF-1 digital for Canon								flash software ≥ V2						l		
52 AF-1 digital for Canon								flash software ≥ V1								
50 AF-1 digital for Canon								flash software ≥ V1								
48 AF-1 digital for Canon						I I		flash software ≥ V1								
44 AF-1 digital for Canon						ı İ		flash software ≥ V1		 				I 		
36 AF-5 digital for Canon	T							flash software								
36 AF-4 digital for Canon	- T							≥ V2								
24 AF-1 digital for Canon						I I		flash software ≥ V1								
METZ MECABLITZ : 76 MZ-5 digital with SCA adapter		LASHES														
45 CL 4 digital with SCA adapter	Pr4				SCA 3102 softw. ≥ M5							3102 ′e ≥ M4				
54 MZ-4i digital with SCA adapter																
15 MS-1 digital	\bigcirc							flash software ≥ V1								

MODE DD <	NIKON								FEBRUA	RY 2013	}						_	Metz
NODES DD										Ō			1 miles 1	f ô			T	
Diable definition Binds Not 2			D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	NIKON D
Decomponenti Lagence aitt aitt <td< td=""><td>Availibility since</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>since Jul '08</td></td<>	Availibility since																	since Jul '08
Number of the intervent of																		DSLR
bite is more invessed 11 based - <					1				1								1	I-11L ●
ALEYA BUKATA UNA FUASHES Image: Control of the submark Image:		Vaster																•
ab Ar-1 digital image: second sec	METZ MECABLITZ	SYSTEM F		•														
2 AF.1 digital for Nikon No. No. <th< td=""><td></td><td></td><td></td><td>l I</td><td>1</td><td></td><td> </td><td>ļ</td><td>1</td><td></td><td></td><td> </td><td></td><td></td><td>1</td><td> </td><td>l I</td><td> </td></th<>				l I	1			ļ	1						1		l I	
brikker image: ima				1	1		1	1	1						1		1	
ter Nikon Image: Control of the con																		
for Nikon Image: Second provided provi					1				1						1		1	
for Nikon Image: Control of Con															1			
for Nikon Image: Control of the set of the															1		1	
36 AF-4 digital for Nikon Image: Control of the second										flash so	oftware							
METZ MECABLITZ SPECIAL FLASHES Image: Constraint of the service o		T								2	V1							
76 MZ-5 digital with SCA adapter Image: software base in the service in the serv															1		1	
with SCA adapter Image: sector of the se	METZ MECABLITZ	I.	LASHES															
45 CL 4 digital with SCA adapter Image: CL 3 digital software in the software in		J																
54 MZ-4i digital with SCA adapter Image: state sta		Ĩ													1			
		IJ											(for ISO > 64000)					
15 MS-1 digitαl ≥ V1	15 MS-1 digital	\bigcirc																

NIKON CC) OLPI)	(FEBRUA	RY 2013	}			_	Metz
						Ō	H CO							
LATEST CAMERA MODELS		NIKON Coolpix P 7700	NIKON Coolpix P 7100	NIKON Coolpix P 7000	NIKON Coolpix P 5100	NIKON Coolpix P 5000	NIKON Coolpix P 6000							
Availibility since		since Sep '12	since Sep '11	since Sep '10	since Sep '07	since Mar '07	since Sep '08							
Camera type Camera flash TTL system		System i-TTL	System i-TTL	System i-TTL	System i-TTL	System i-TTL	System i-TTL							
Built-in flash		•	•	•	•	•	•							
Built-in flash with Remote TTL	Master													
METZ MECABLITZ	SYSTEM F	LASHES		1			I							1
58 AF-2 digital for Nikon				flash software ≥ V1		1								
58 AF-1 digital for Nikon				oftware V2		flash software ≥ V1								
52 AF-1 digital for Nikon				flash software ≥ V1										
50 AF-1 digital for Nikon				flash software ≥ V1										
48 AF-1 digital for Nikon				flash software ≥ V1										
44 AF-1 digital for Nikon				flash software ≥ V1		1								
36 AF-5 digital for Nikon				flash s	oftware									
36 AF-4 digital for Nikon				2	V1									
24 AF-1 digital for Nikon					oftware V1	1	l I							
METZ MECABLITZ	SPECIAL F	LASHES												
76 MZ-5 digital with SCA adapter						SCA 3402								
45 CL 4 digital with SCA adapter	hud			3402 . ≥ M7		softw. ≥ M6								
54 MZ-4i digital with SCA adapter						SCA 3402 softw. ≥ M5								
15 MS-1 digital	\bigcirc				oftware V2									

SONY								FEBRUA	RY 2013							_	Metz
					Ó	O		O	0			f Ô					
LATEST CAMERA MODELS		SONY DSC RX1***	SONY NEX 6 ***	SONY ALPHA 99 V ***	SONY ALPHA 37	SONY ALPHA 57	SONY NEX 7	SONY ALPHA 77 V	SONY ALPHA 65 V	SONY ALPHA 35	SONY ALPHA 560	SONY ALPHA 580	SONY ALPHA 55	SONY ALPHA 33	SONY ALPHA 450	SONY ALPHA 900	SONY ALPHA 390
Availibility since		since Dec '12	since Nov '12	since Nov '12	since Jul '12	since Apr '12	since Jan '12	since Oct '11	since Oct '11	since Sep'11	since Mar'11	since Oct '10	since Oct '10	since Oct '10	since: Feb '10	since Oct '08	since Jul '10
Camera type		System	ML System	DSLR	DSLR	DSLR	ML System	DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	DSLR
Camera flash TTL system Built-in flash		ADI •	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI •
Built-in flash with Remote 1	TTI Maatar														-		
METZ MECABLIT					•	•		•	•	•	•	•	•	•	•		•
58 AF-2 digital for Sony	Ţ					oftware V3					flash software ≥ V1			software V2		flash software ≥ V1	
58 AF-1 digital for Sony						oftware V5					flash software ≥ V3			oftware V4	flash se ≥	oftware V3	flash software ≥ V2
52 AF-1 digital for Sony										oftware V1	 			 			
50 AF-1 digital for Sony						oftware V3	 				flash software ≥ V1			software V2		flash software ≥ V1	
48 AF-1 digital for Sony					flash se ≥	oftware V5					flash software ≥ V3			oftware V4	flash s ≥	oftware V3	flash software ≥ V2
44 AF-1 digital for Sony					flash se ≥	oftware V2	I	l I	l I		1	l		oftware V1	1	ļ	1
36 AF-5 digital for Sony	T								flash s	oftware							
36 AF-4 digital for Sony									2	VI							
24 AF-1 digital for Sony										oftware V1					1		
METZ MECABLIT	Z SPECIAL	. FLASHES															
76 MZ-5 digital with SCA adapter				SCA : softwar	3302 e = M8												
45 CL 4 digital with SCA adapter	h-d							3302 e ≥ M9		1	1				SCA softwar	3302 re ≥ M8	
54 MZ-4i digital with SCA adapter																	
15 MS-1 digital	\bigcirc						1	1		oftware V2	1	1	1		1		
** camera with <u>new</u> h	not shoe. Ada	pter required! T	his adapter AD	P-MAA is avai	lable from Son	1.					•	•			•	•	۱ ۱

OLYMPUS								FEBRUA	RY 2013	}						_	Metz
			Ô				10:				fΘ			rô:			O
LATEST CAMERA MODELS		OLYMPUS PEN E-PL 5	OLYMPUS OM-D E-M5	OLYMPUS STYLUS XZ-2	OLYMPUS PEN E-PM 2	OLYMPUS PEN E-PM 1	OLYMPUS PEN E-P 3	OLYMPUS PEN E-PL 3	OLYMPUS PEN E-PL 2 E-PL 2	OLYMPUS XZ-1	OLYMPUS E - 5	OLYMPUS PEN E-PL 1	OLYMPUS PEN E-P 2	OLYMPUS E - 600	OLYMPUS PEN E-P1	OLYMPUS E - 450	OLYMPUS E - 620
Availibility since		since Oct '12	since Oct '12	since Oct '12	since Oct '12	since Sep '11	since Sep '11	since Sep '11	since Mar '11	since Feb '11	since Oct '10	since Mar '10	since Jan '10	since Nov '09	since Jul '09	since May '09	since Apr '09
Camera type		ML System	DSLR	System	ML System	ML System	ML System	ML System	ML System	System	DSLR	ML System	ML System	DSLR	ML System	DSLR	SLR
Camera flash TTL system Built-in flash / (attached mini fla	ash)	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds
Built-in flash with Remote TTL		•	•					•			•			•		•	•
METZ MECABLITZ			•			l					-			-			-
58 AF-2 digital for Oly / Pan	Ħ	flash s	oftware V2								oftware V1						
58 AF-1 digital for Oly / Pan			oftware V4								oftware V2						
52 AF-1 digital for Oly / Pan		flash se ≥	oftware V2								oftware V1						
50 AF-1 digital for Oly / Pan			oftware V2								oftware V1						
48 AF-1 digital for Oly / Pan			oftware V4		l				l		oftware V2		l		l		
44 AF-1 digital for Oly / Pan			oftware V2				1				oftware V1					1	
36 AF-5 digital for Oly / Pan									flash se	oftware							
36 AF-4 digital for Oly / Pan									2	V1							
24 AF-1 digital for Oly / Pan									flash se ≥								
METZ MECABLITZ	SPECIAL I	FLASHES									-			-			
76 MZ-5 digital with SCA adapter	J																
45 CL 4 digital with SCA adapter	h.d								SCA softwar	3202 re≥M7							
54 MZ-4i digital with SCA adapter																	
15 MS-1 digital	\bigcirc								flash s ≥	oftware V2							

PANASONI	C							FEBRUA	RY 2013								Metz
		0				0		6	ĨO.		ÎO.				0	10	0.
LATEST CAMERA MODELS		PANASONIC LUMIX GH-3	PANASONIC LUMIX FZ-48	PANASONIC LUMIX DMC-FZ200	PANASONIC LUMIX LX 7	PANASONIC LUMIX DMC-G 5	PANASONIC LUMIX DMC-GX 1	PANASONIC LUMIX FZ 150	PANASONIC LUMIX G 3	PANASONIC LUMIX GF 2	PANASONIC LUMIX GH 2	PANASONIC LUMIX FZ 100	PANASONIC LUMIX FZ 45	PANASONIC LUMIX LX 5	PANASONIC LUMIX DMC-G 10	PANASONIC LUMIX DMC-G 2	PANASONIC LUMIX DMC-GF 1
Availibility since Camera type		since Nov '12 ML System	since Aug '12 System	since Aug '12 System	since Aug '12 System	since Aug '12 ML System	since Jan '12 ML System	since Sep '11 System	since Jul '11 ML System	since Mar '11 ML System	since Oct '10 System	since Aug '10 System	since Aug '10 System	since Aug '10 System	since Jun '10 ML System	since May '10 ML System	since Oct '09 ML System
Camera flash TTL system Built-in flash		Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four-Thirds	Four-Thirds	Four-Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds
Built-in flash with Remote TTL M																	
58 AF-2 digital for Oly / Pan	T	flash software ≥ V2								flash software ≥ V1				 	 		
58 AF-1 digital for Oly / Pan		flash software ≥ V4								flash software ≥ V2							
52 AF-1 digital for Oly / Pan		flash software ≥ V2								flash software ≥ V1							
50 AF-1 digital for Oly / Pan		flash software ≥ V2		 						flash software ≥ V1	 						
48 AF-1 digital for Oly / Pan		flash software ≥ V4		1						flash software ≥ V2	1			1	1		
44 AF-1 digital for Oly / Pan		flash software ≥ V2								flash software ≥ V1							
36 AF-5 digital for Oly / Pan									flash se	oftware							
36 AF-4 digital for Oly / Pan									≥	V1							
24 AF-1 digital for Oly / Pan				 					flash se ≥	oftware V1	 						
METZ MECABLITZ		LASHES															
76 MZ-5 digital with SCA adapter																	
45 CL 4 digital with SCA adapter	Ĩ								SCA 3202 software ≥ M7								
54 MZ-4i digital with SCA adapter																	
15 MS-1 digital	\bigcirc									oftware V2							

PENTAX								FEBRUA	RY 2013	6							Metz
		0	.0				S.	O					10				
LATEST CAMERA MODELS		PENTAX K - 5 IIs	PENTAX K - 5 II	PENTAX K 30	PENTAX K - O1	PENTAX Q	PENTAX 645 D	PENTAX K - 5	PENTAX K - r	PENTAX K - x	PENTAX K 7	PENTAX K - m	PENTAX K 20 D	PENTAX K 200 D	PENTAX D 100 D	PENTAX D 10 D	
Availibility since Camera type		since Oct '12 DSLR	since Oct '12 DSLR	since Jul '12 DSLR	since Mar '12 DSLR	since Sep '11 ML System	since Mar '12 Medium Format	since Oct '10 DSLR	since Oct '10 DSLR	since Oct '09 DSLR	since Jul '09 DSLR	since Nov '08 DSLR	since Apr'08 DSLR	since Apr'08 DSLR	Super since Jul '07 DSLR	since Jan '06 DSLR	
Camera flash TTL system Built-in flash		P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	
Built-in flash with Remote TTL I	SYSTEM F	• LASHES	•	•				•	•	•	•	•	•	•		•	
58 AF-2 digital for Pentax		TEST result will follow	TEST result will follow	TEST result will follow							oftware V1						
58 AF-1 digital for Pentax		TEST result will follow	TEST result will follow	TEST result will follow							oftware V1						
52 AF-1 digital for Pentax		TEST result will follow	TEST result will follow							flash software ≥ V1							
50 AF-1 digital for Pentax		TEST result will follow	TEST result will follow	TEST result will follow							oftware V1						
48 AF-1 digital for Pentax		TEST result will follow	TEST result will follow							flash software ≥ V1							
44 AF-1 digital for Pentax		TEST result will follow	TEST result will follow							flash software ≥ V1							
36 AF-5 digital for Pentax		TEST result will follow	TEST result will follow							flash software							
36 AF-4 digital for Pentax		TEST result will follow	TEST result will follow							≥ V1							
24 AF-1 digital for Pentax		TEST result will follow	TEST result will follow							flash software ≥ V1	1						
METZ MECABLITZ	1	LASHES															
76 MZ-5 digital with SCA adapter	J	TEST result will follow	TEST result will follow	TEST result will follow													
45 CL 4 digital with SCA adapter		TEST result will follow	TEST result will follow					3702 ′e ≥ M3						SCA 3702 software ≥ M2			
54 MZ-4i digital with SCA adapter		TEST result will follow	TEST result will follow														
15 MS-1 digital	Ø								flash software ≥ V2								

SAMSUNG							FEBRUA	RY 2013	}					_	Metz
				- 0	- 0										
LATEST CAMERA MODELS	SAMSUNG NX 300	SAMSUNG NX 20	SAMSUNG EX 2F	SAMSUNG NX 210	SAMSUNG NX 200	SAMSUNG NX 11	SAMSUNG NX 1000	SAMSUNG NX 100	SAMSUNG NX 5	SAMSUNG NX 10					
Availibility since	since Feb '13	since Oct '12	since Aug '12	since May '12	since Sep '11	since Mar '11	since Sep '10	since Sep '10	since Jun '10	since Mar '10					
Camera type Camera flash TTL system	ML System A-TTL	ML System A-TTL	System A-TTL	ML System A-TTL	ML System A-TTL	ML System A-TTL	ML System A-TTL	ML System A-TTL	ML System A-TTL	ML System A-TTL					
Built-in flash		•	•			•			•	•					
Built-in flash with Remote TTL Master															
METZ MECABLITZ SYSTE	M FLASHES														
58 AF-2 digital		1	1		NO VERSIO	N AVAILABLE									
58 AF-1 digital	8	1		1	NO VERSIO	N AVAILABLE									
52 AF-1 digital		1		1	NO VERSIO	N AVAILABLE									
50 AF-1 digital	B	1		1	NO VERSIO	N AVAILABLE									
48 AF-1 digital	B	1		1	NO VERSIO	N AVAILABLE									
44 AF-1 digital for Samsung	ß	1		1		oftware V1	1								
36 AF-5 digital	1	1		1	NO VERSIO	N AVAILABLE	1								
36 AF-4 digital					NO VERSIO	N AVAILABLE									
24 AF-1 digital	D	1			NO VERSIO	N AVAILABLE									
METZ MECABLITZ SPECI	AL FLASHES										I	I	I	I	
76 MZ-5 digital with SCA adapter	5				NO SCA ADAP	TER AVAILABLE									
45 CL 4 digital with SCA adapter					NO SCA ADAP	TER AVAILABLE									
54 MZ-4i digital with SCA adapter					NO SCA ADAP	TER AVAILABLE									
15 MS-1 digital					NO SAMSUNG I	MODE AVAILABLI	 E								

LEICA								FEBRUA	RY 2013	}						_	Metz
(*) = fixing on hotshoe not pos	rible										0						
LATEST CAMERA MODELS	SIDIE	LEICA M (Typ 240)	LEICA M-E	LEICA M Monochrome	LEICA X-2	LEICA M 9 P	LEICA S 2	LEICA X 1 (*)	LEICA M 9	LEICA M 8.2	LEICA M 8	LEICA D-LUX 6	LEICA V-LUX 4	LEICA V-LUX 3	LEICA V-LUX 2	LEICA D-LUX 5	LEICA D-LUX 4
Availibility since		since Jan '13	since Sep '12	since Aug '12	since May '12	since Jul '11	since Dec '09	since Dec '09	since Sep '09	since Sep '08	since Nov '06	since Nov '12	since Nov '12	since Jan '12	since Oct '10	since Oct '10	since Oct' 08
Camera type		DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	System	System	System	System	System	System
Camera flash TTL system Built-in flash		Leica TTL	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four-Thirds	FourThirds
Built-in flash with Remote TTL	Maatar											•		•	•	•	•
METZ MECABLITZ																	
58 AF-2 digital for Oly / Pan															oftware V1	1	1
58 AF-1 digital for Oly / Pan															oftware V2		1
52 AF-1 digital for Oly / Pan															oftware V1		
50 AF-1 digital for Oly / Pan															oftware V1		
48 AF-1 digital for Oly / Pan															oftware V2	1	1
44 AF-1 digital for Oly / Pan															oftware V1	1	
36 AF-5 digital for Oly / Pan														flash s	oftware		
36 AF-4 digital for Oly / Pan															vı		
24 AF-1 digital for Oly / Pan															oftware V1		1
METZ MECABLITZ	SPECIAL F	LASHES			•	•		•						•	•		
76 MZ-5 digital with SCA adapter	J						3502										
45 CL 4 digital with SCA adapter	hud					softwa	re ≥ M5								3202 . ≥ M7	1	
54 MZ-4i digital with SCA adapter										3502 re ≥ M4							
15 MS-1 digital	\bigcirc														oftware V2		