CANON EC	S									DECEMI	BER 2011	1					Metz
		ÍÓ		6		Θ	O	Ō		Ô.				10			
LATEST CAMERA		CANON	CANON	CANON	CANON	CANON	CANON	CANON	CANON	CANON	CANON	CANON	CANON	CANON	CANON	CANON	CANON
MODELS		EOS 1D - X	EOS 1100 D	EOS 600 D	EOS 60 D	EOS 550 D	EOS 1D Mk IV	EOS 7 D	EOS 500 D	EOS 5 D Mk II	EOS 50 D	EOS 1000 D	EOS 450 D	EOS 40 D	EOS 1 Ds Mk III	EOS 1 D Mk III	EOS 400 D
Availibility since		new: Mar '12	since Mar '11	since Mar '11	since Oct '10	since Mar '10	since Dec '09	since Oct '09	since May '09	since Nov' 08	since Sep '08	since July '08	since Mar '08	since Oct '07	since Nov '07	since May '07	since Sep '06
Camera type		SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR
Camera flash TTL system Built-in flash with remote TTL m	laster	E-TTL II no built-in flash	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II no built-in flash	E-TTL II	E-TTL II	E-TTL II no built-in flash	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II no built-in flash	E-TTL II no built-in flash	E-TTL II
METZ SYSTEM FLAS		no bait in hash	•	•	•		no buit in hash	•	ļ	no bait in hash					no built in hash	no built in hash	
58 AF-2 digital for Canon	Ţ	TEST result will follow	flash s ≥	oftware V2							flash software ≥ V1						
58 AF-1 digital for Canon		TEST result will follow		oftware V5							oftware V2						flash software ≥ V1
50 AF-1 digital for Canon		TEST result will follow		oftware V2							flash software ≥ V1						
48 AF-1 digital for Canon		TEST result will follow	flash s ≥	oftware V4							flash software ≥ V2						
44 AF-1 digital for Canon		TEST result will follow		oftware V2			1				flash software ≥ V1				[		
36 AF-5 digital for Canon	F	TEST result will follow						flash s	oftware							flash software	
36 AF-4 digital for Canon	- T	TEST result will follow						2	V2							≥ V1	
24 AF-1 digital for Canon		TEST result will follow		oftware V2							flash software ≥ V1						
METZ SCA FLASHE	S																
76 MZ-5 digital with SCA adapter	.J	TEST result will follow															
45 CL 4 digital with SCA adapter		TEST result will follow				3102 re ≥ M5					1		3102 re ≥ M4				SCA 3102 software ≥ M3
54 MZ-4i digital with SCA adapter		TEST result will follow															
METZ MACRO FLAS	SH																
15 MS-1 digital	$\bigcirc$	TEST result will follow						I		flash software ≥ V2		I					

CANON PC	<b>WER</b>	бнот								DECEM	BER 2011			Metz
								50 F		Cost -	<b>T</b>			
LATEST CAMERA MODELS		CANON PowerShot SX 40 HS	CANON PowerShot G 12	CANON PowerShot SX 30 IS	CANON PowerShot G 11	CANON PowerShot SX 20 IS	CANON PowerShot SX 1 IS	CANON PowerShot G 10	CANON PowerShot SX 10 IS	CANON PowerShot G 9	CANON PowerShot S5 IS			
Availibility since Camera type Camera flash TTL system		since Oct '11 System Camera E-TTL II	since Nov '10 System Camera E-TTL II	since Aug '10 System Camera E-TTL II	since Oct '09 System Camera E-TTL II	since Sep '09 System Camera E-TTL II	since Dec '08 System Camera E-TTL II	since Oct '08 System Camera E-TTL II	since Oct '08 System Camera E-TTL II	since Oct '07 System Camera E-TTL II	since Jun '07 System Camera E-TTL II			
Built-in flash with remote TTL n														
58 AF-2 digital for Canon							oftware V1	1						
58 AF-1 digital for Canon							oftware V2							
50 AF-1 digital for Canon							oftware V1							
48 AF-1 digital for Canon							oftware V1				 			
44 AF-1 digital for Canon							oftware V1				 			
36 AF-5 digital for Canon						flash s	oftware							
36 AF-4 digital for Canon						2	V2							
24 AF-1 digital for Canon							oftware V1				1			
METZ SCA FLASHE	S		1	ł	P	1	1		4 1	•	•			
76 MZ-5 digital with SCA adapter	. J													
45 CL 4 digital with SCA adapter	P 4			3102 . ≥ M5					3102 re ≥ M4		1			
54 MZ-4i digital with SCA adapter														
METZ MACRO FLA	SH													
15 MS-1 digital	$\bigcirc$						oftware V2							

NIKON &	FUJII	ILM								DECEME	BER 201	1						Metz
			O	0								<b>F</b> or		6	<b>F</b>			
LATEST CAMERA MODELS		NIKON D 5100	NIKON D 7000	NIKON D 3100	NIKON D 5000	NIKON D 3 S	NIKON D 3000	NIKON D 300 S	NIKON D 3 X	NIKON D 90	NIKON D 700	NIKON D 60	NIKON D 3	NIKON D 300	NIKON D 40 X	NIKON D 40	FUJIFILM Finepix S 5 Pro	NIKON D 80
Availibility since Camera type Camera flash TTL system		since April '11 SLR i-TTL	since Oct '10 SLR i-TTL	since Sep '10 SLR i-TTL	since May '09 SLR i-TTL	since Nov '09 SLR i-TTL	since Aug '09 SLR i-TTL	since Aug '09 SLR i-TTL	since Feb'09 SLR i-TTL	since Sep '08 SLR i-TTL	since Jul '08 SLR i-TTL	since Mar '08 SLR i-TTL	since Nov'07 SLR i-TTL	since Nov'07 SLR i-TTL	since Mar '07 SLR i-TTL	since Dec '06 SLR i-TTL	since Sep '06 Bridge i-TTL	since Sep '06 SLR i-TTL
Built-in flash with remote TT METZ SYSTEM FL			•			no built-in flash		•	no built-in flash	•	•	•	no built-in flash	•			•	•
58 AF-2 digital for Nikon			1			1				flash software ≥ V1			1					1
58 AF-1 digital for Nikon				1	1		oftware V4	1	1	1			oftware V3			oftware V2		flash software ≥ V1
50 AF-1 digital for Nikon				 	ļ I			 		flash software ≥ V1			1					
48 AF-1 digital for Nikon							oftware V3			1			software V2			flash software ≥ V1		
44 AF-1 digital for Nikon										flash software ≥ V1			1					
36 AF-5 digital for Nikon										flash software								
36 AF-4 digital for Nikon										≥ V1								
24 AF-1 digital for Nikon				1	1		1	1		flash software ≥ V1		 	1		1			
METZ SCA FLASH	HES												-					
76 MZ-5 digital with SCA adapter																		
45 CL 4 digital with SCA adapter	Ĩ			SCA 3402 softw. ≥ M9		D3S		ļ		SCA softwar	3402 e ≥ M8		1				3402 re ≥ M7	1
54 MZ-4i digital with SCA adapter						softw. ≥ M10 (for ISO > 64000) (Update in Service)												
METZ MACRO FL	LASH																	
15 MS-1 digital	O									flash software ≥ V2								

NIKON COOLPI	x						DECEME	BER 201	I				Metz
LATEST CAMERA MODELS	NIKON Coolpix P 7100	NIKON Coolpix P 7000	NIKON Coolpix P 5100	NIKON Coolpix P 5000	NIKON Coolpix P 6000								
Availibility since	since Sep '11	since Sep '10	since Sep '07	since Mar '07	since Sep '08								
Camera type	System Camera	System Camera	System Camera	System Camera	System Camera i-TTL								
Camera flash TTL system Built-in flash with remote TTL master	i-TTL	i-TTL	i-TTL	i-TTL									
METZ SYSTEM FLASHES													
58 AF-2 digital for Nikon		flash se ≥											
58 AF-1 digital for Nikon		flash software ≥ V2		flash software ≥ V1									
50 AF-1 digital for Nikon		flash se ≥											
48 AF-1 digital for Nikon		flash se ≥		 									
44 AF-1 digital for Nikon		flash se ≥											
36 AF-5 digital for Nikon			flash software										
36 AF-4 digital for Nikon			≥ V1										
24 AF-1 digital for Nikon			flash software ≥ V1		1								
METZ SCA FLASHES		•			•			•	•			•	•
76 MZ-5 digital with SCA adapter				SCA 3402									
45 CL 4 digital with SCA adapter		SCA 3402 softw. ≥ M7		softw. ≥ M6									
54 MZ-4i digital with SCA adapter				SCA 3402 softw. ≥ M5									
METZ MACRO FLASH						 		1		I	 		1
15 MS-1 digital			flash software ≥ V2										

SONY											DECEMI	BER 2011	I					Metz
						ÍŌ	<b>f</b> O		Õ						10	10	Ô	<b>f</b> ôt
LATEST CAMERA MODELS		SONY NEX 7	SONY ALPHA 77 V	SONY ALPHA 65 V	SONY ALPHA 35	SONY ALPHA 560	SONY ALPHA 580	SONY ALPHA 55	SONY ALPHA 33	SONY ALPHA 450	SONY ALPHA 900	SONY ALPHA 390	SONY ALPHA 290	SONY ALPHA 850	SONY ALPHA 550	SONY ALPHA 500	SONY ALPHA 230	SONY ALPHA 380
Availibility since Camera type Camera flash TTL system		new: Jan '12 System ADI	since Oct '11 SLR ADI	since Oct '11 SLR ADI	since Sep'11 SLR ADI	since Mar'11 SLR ADI	since Oct '10 SLR ADI	since Oct '10 SLR ADI	since Oct '10 SLR ADI	since: Feb '10 SLR ADI	since Oct '08 SLR ADI	since Jul '10 SLR ADI	since Jul '10 SLR ADI	since Oct '09 SLR ADI	since Oct '09 SLR ADI	since Oct '09 SLR ADI	since Jul '09 SLR ADI	since Jul '09 SLR ADI
Built-in flash with remote TT		TEST	•	•	•	•	•	•	•	•	no built-in flash	•	•	no built-in flash	•	•	•	•
58 AF-2 digital for Sony	Ţ	TEST result will follow		oftware V3		flash software ≥ V1	1		oftware V2					flash software ≥ V1		1		
58 AF-1 digital for Sony	- 11 E	TEST result will follow		oftware V5		flash software ≥ V3			oftware V4		oftware V3				flash software ≥ V2			
50 AF-1 digital for Sony		TEST result will follow		oftware V3		flash software ≥ V1			oftware V2					flash software ≥ V1				1
48 AF-1 digital for Sony		TEST result will follow		oftware V5		flash software ≥ V3			oftware V4	flash s ≥	oftware V3				flash software ≥ V2			
44 AF-1 digital for Sony		TEST result will follow		oftware V2								oftware V1						
36 AF-5 digital for Sony	T	TEST result will follow								flash s	oftware							
36 AF-4 digital for Sony		TEST result will follow									V1							
24 AF-1 digital for Sony		TEST result will follow			1			1			oftware V1				1			1
<b>METZ SCA FLASH</b>	IES			1	-	1	-	-	1	ł	ł	ł	ł	•	-		ł	•
76 MZ-5 digital with SCA adapter	"J	TEST result will follow																
45 CL 4 digital with SCA adapter		TEST result will follow				3302 e ≥ M9		1						3302 re ≥ M8	1			1
54 MZ-4i digital with SCA adapter		TEST result will follow																
METZ MACRO FL	ASH									·		·	·				·	
15 MS-1 digital	$\bigcirc$									flash software ≥ V2								

OLYMPUS									DECEMI	BER 2011					_	Metz
	10-							Ô:	rô.			Ô	Θ		ÎÔ.	fô
LATEST CAMERA MODELS	OLYMPUS PEN E-P 3	OLYMPUS PEN E-PM 1	OLYMPUS PEN E-PL 3	OLYMPUS PEN E-PL 2	OLYMPUS XZ-1	OLYMPUS E - 5	OLYMPUS PEN E-PL 1	OLYMPUS PEN E-P 2	OLYMPUS E - 600	OLYMPUS PEN E-P1	OLYMPUS E - 450	OLYMPUS E - 620	OLYMPUS E - 30	OLYMPUS E - 520	OLYMPUS E - 420	OLYMPUS E - 3
Availibility since Camera type Camera flash TTL system	since Sep '11 System Camera Four Thirds	since Sep '11 System Camera Four Thirds	since Sep '11 System Camera Four Thirds	since Mar '11 System Camera Four Thirds	since Feb '11 System Camera Four Thirds	since Oct '10 SLR Four Thirds	since Mar '10 System Camera Four Thirds	since Jan '10 System Camera Four Thirds	since Nov '09 SLR Four Thirds	since Jul '09 System Camera Four Thirds	since May '09 SLR Four Thirds	since Apr '09 SLR Four Thirds	new: Jan '09 SLR Four Thirds	since Jun '08 SLR Four Thirds	since Apr'08 SLR Four Thirds	since Nov'07 SLR Four Thirds
Built-in flash with remote TTL master METZ SYSTEM FLASHES	no built-in flash	•	no built-in flash	no built-in flash	•	no built-in flash	•	•	•	•	•	•				
58 AF-2 digital for Oly / Pan									oftware V1							
58 AF-1 digital for Oly / Pan									oftware V2							
50 AF-1 digital for Oly / Pan									oftware V1							
48 AF-1 digital for Oly / Pan		I				1	1		oftware V2	1		I	I	1	 	I
44 AF-1 digital for Oly / Pan									oftware V1							
36 AF-5 digital for Oly / Pan								flash s	oftware							
36 AF-4 digital for Oly / Pan								2	V1							
24 AF-1 digital for Oly / Pan					1		1		oftware V1	1			1	1	1	
METZ SCA FLASHES																I I
76 MZ-5 digital with SCA adapter																
45 CL 4 digital with SCA adapter								3202 re ≥ M7		1				1		3202 re ≥ M5
54 MZ-4i digital with SCA adapter																
METZ MACRO FLASH						1	I		oftware V2	I			I	I	I	I

PANASON	IIC										DECEME	BER 201	I			_	Metz
			6	0		10				Î O	0	IO.	1	0:			
LATEST CAMERA		PANASONIC	PANASONIC	PANASONIC	PANASONIC	PANASONIC	PANASONIC	PANASONIC	PANASONIC	PANASONIC	PANASONIC	PANASONIC	PANASONIC	PANASONIC	PANASONIC	PANASONIC	
MODELS		LUMIX DMC-GX 1	LUMIX FZ 150	LUMIX G 3	LUMIX GF 2	LUMIX GH 2	LUMIX FZ 100	LUMIX FZ 45	LUMIX LX 5	LUMIX DMC-G 10	LUMIX DMC-G 2	LUMIX DMC-GF 1	LUMIX DMC-GH 1	LUMIX DMC-G 1	LUMIX DMC-LX 3	LUMIX DMC-L10	
Availibility since		new: Jan '12	since Sep '11	since Jul '11	since Mar '11	since Oct '10	since Aug '10	since Aug '10	since Aug '10	since Jun '10	since May '10	since Oct '09	since May '09	since Sep' 08	since Aug '08	since Oct'07	
Camera type		Bridge	SLR	Bridge	Bridge	System Camera	System Camera	System Camera	System Camera	Bridge	Bridge	Bridge	Bridge	SLR	Bridge	SLR	
Camera flash TTL system		Four Thirds	Four Thirds	Four-Thirds	Four-Thirds	Four-Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	FourThirds	
Built-in flash with remote TTL		TEST	•	-	-			-									
58 AF-2 digital for Oly / Pan		TEST result will follow							flash s ≥	oftware V1							
58 AF-1 digital for Oly / Pan		TEST result will follow							flash s ≥	oftware V2							
50 AF-1 digital for Oly / Pan		TEST result will follow								oftware V1							
48 AF-1 digital for Oly / Pan		TEST result will follow							flash s ≥					1	1		
44 AF-1 digital for Oly / Pan		TEST result will follow								oftware V1							
36 AF-5 digital for Oly / Pan		TEST result will follow							flash s	oftware							
36 AF-4 digital for Oly / Pan		TEST result will follow							2	VI							
24 AF-1 digital for Oly / Pan		TEST result will follow								oftware V1							
METZ SCA FLASH	ES																
76 MZ-5 digital with SCA adapter	J	TEST result will follow															
45 CL 4 digital with SCA adapter	h	TEST result will follow					SCA 3202 software ≥ M7								3202 re ≥ M7		
54 MZ-4i digital with SCA adapter		TEST result will follow															
METZ MACRO FL	ASH																
15 MS-1 digital	$\bigcirc$	TEST result will follow							flash s ≥	oftware V2							

PENTAX										DECEME	BER 201	I				Metz
		0														
LATEST CAMERA MODELS	PENTX Q	PENTAX K - 5	PENTAX K - r	PENTAX K - x	PENTAX K 7	PENTAX K - m	PENTAX K 20 D	PENTAX K 200 D	PENTAX D 100 D Super	PENTAX D 10 D						
Availibility since Camera type Camera flash TTL system	since Sep '11 System P-TTL	since Oct '10 SLR P-TTL	since Oct '10 SLR P-TTL	since Oct '09 SLR P-TTL	since Jul '09 SLR P-TTL	since Nov '08 SLR P-TTL	since Apr'08 SLR P-TTL	since Apr'08 SLR P-TTL	since Jul '07 SLR P-TTL	since Jan '06 SLR P-TTL						
Built-in flash with remote TTL master METZ SYSTEM FLASHES	TEST	•	•	•	•	•	•	•		•						
58 AF-2 digital for Pentax				1	flash s ≥	oftware V1				1						
58 AF-1 digital for Pentax						oftware V1										
50 AF-1 digital for Pentax					flash s ≥	oftware V1										
48 AF-1 digital for Pentax					flash s ≥											
44 AF-1 digital for Pentax					flash se ≥	oftware V1										
36 AF-5 digital for Pentax					flash s	oftware										
36 AF-4 digital for Pentax					2	V1										
24 AF-1 digital for Pentax					flash s ≥	oftware V1										
METZ SCA FLASHES		1	1		1	ł	ł	ł	ł			1				
76 MZ-5 digital with SCA adapter																
45 CL 4 digital with SCA adapter			SCA 3702 software ≥ M3					SCA 3702 software ≥ M2								
54 MZ-4i digital with SCA adapter																
METZ MACRO FLASH												I	1	· 1	1	
15 MS-1 digital					flash s ≥	oftware V2										

LEICA											DECEME	BER 201		_	Metz
(*) = fixing on hotshoe not possib								10							
LATEST CAMERA MODELS		LEICA S 2	LEICA X 1 (*)	LEICA M 9	LEICA M 8.2	LEICA M 8	LEICA V-LUX 3	LEICA V-LUX 2	LEICA D-LUX 5	LEICA D-LUX 4	LEICA V-LUX 1	LEICA Digilux 3			
Availibility since		since Dec '09	since Dec '09	since Sep '09	since Sep '08	since Nov '06	new: Jan '12	since Oct '10	since Oct '10	since Oct' 08	since Oct '06	since Oct '06			
Camera type Camera flash TTL system		SLR Leica TTL	SLR Leica TTL	SLR Leica TTL	SLR Leica TTL	SLR Leica TTL	System Four Thirds	System Four Thirds	System Four-Thirds	System FourThirds	SLR FourThirds	SLR FourThirds			
Built-in flash with remote TTL ma	aster	-	-	-	-	-	-	-	-	-	-	-			
METZ SYSTEM FLAS	HES					1	I	1		<u> </u>	<u> </u>			I	
58 AF-2 digital for Oly / Pan							TEST result will follow			flash software ≥ V1					
58 AF-1 digital for Oly / Pan							TEST result will follow		flash software ≥ V2	 		oftware V1			
50 AF-1 digital for Oly / Pan							TEST result will follow			flash software ≥ V1	 				
48 AF-1 digital for Oly / Pan							TEST result will follow		flash software ≥ V2			oftware V1			
44 AF-1 digital for Oly / Pan							TEST result will follow			flash software ≥ V1					
36 AF-5 digital for Oly / Pan							TEST result will follow			flash software					
36 AF-4 digital for Oly / Pan							TEST result will follow			≥ V1					
24 AF-1 digital for Oly / Pan							TEST result will follow			flash software ≥ V1					
<b>METZ SCA FLASHES</b>														 	
76 MZ-5 digital with SCA adapter				SCA 3502			TEST result will follow								
45 CL 4 digital with SCA adapter	hud			software ≥ M5			TEST result will follow		SCA 3202 softw. ≥ M7		SCA 3202 softw. ≥ M6	SCA 3202 softw. ≥ M5			
54 MZ-4i digital with SCA adapter				SCA softwar	3502 re ≥ M4		TEST result will follow								
METZ MACRO FLAS	Н														
15 MS-1 digital	0						TEST result will follow			flash software ≥ V2	1				