CANON EC)S							JUNE 2	013								Metz
		Ô	0			ĨO	en e	Ô		Const Const	6			10	Ō	Comm Comm Second	Ô.
LATEST CAMERA MODELS		CANON EOS 100 D	CANON EOS 700 D	CANON EOS 6 D	CANON EOS 1 Dc	CANON EOS M	CANON EOS 1 Dx	CANON EOS 650 D	CANON EOS 5 D Mk III	CANON EOS 1100 D	CANON EOS 600 D	CANON EOS 60 D / Da	CANON EOS 550 D	CANON EOS 1D Mk IV	CANON EOS 7 D	CANON EOS 500 D	CANON EOS 5 D Mk II
Availibility since		since Apr '13	since Apr '13	since Nov '12	since Oct '12	since Oct '12	since Apr '12	since Oct '12	since Mar '12	since Mar '11 DSLR	since Mar '11	since Oct '10	since Mar '10	since Dec '09	since Oct '09	since May '09	since Nov' 08
Camera type Camera flash TTL system		DSLR E-TTL II	DSLR E-TTL II	DSLR E-TTL II	DSLR E-TTL II	ML System E-TTL II	DSLR E-TTL II	DSLR E-TTL II	DSLR E-TTL II	E-TTL II	DSLR E-TTL II	DSLR E-TTL II	DSLR E-TTL II	DSLR E-TTL II	DSLR E-TTL II	DSLR E-TTL II	DSLR E-TTL II
Built-in flash		٠	•					٠		٠	•	•	•		•	٠	
Built-in flash with Remote TTL	Master	•	•					•		•	•	•			•		
METZ MECABLITZ	SYSTEM F	LASHES						1									
58 AF-2 digital for Canon	Ţ						oftware V2								oftware V1		
58 AF-1 digital for Canon							oftware V5								oftware V2		
52 AF-1 digital for Canon				1		1	1		flash sa ≥	oftware V1	1						
50 AF-1 digital for Canon			I	1	l		 oftware V2 		I	l	1		1		oftware V1	l	_
48 AF-1 digital for Canon							oftware V4		1						oftware V2	 	
44 AF-1 digital for Canon				1			oftware V2	1	 		1		l		oftware V1	l	1
36 AF-5 digital for Canon	T								flash se	ftware							
36 AF-4 digital for Canon										V2							
24 AF-1 digital for Canon			l				oftware V2						l		oftware V1		
METZ MECABLITZ	SPECIAL F	LASHES			•	•	•	•	ł	•	•			•	•		
76 MZ-5 digital with SCA adapter]		[SCA 3102		vare and softwar re ≥ M6 Available Se	re version) ptember 2013										
45 CL 4 digital with SCA adapter	واسط			SCA 3102	softwa	vare and softwar re ≥ M6 <mark>ptember 2013</mark>	re version)						3102 re ≥ M5				3102 re ≥ M4
54 MZ-4i digital with SCA adapter				SCA 3102	softwa	vare and softwar re ≥ M6 ptember 2013	 re version)										
15 MS-1 digital	\bigcirc									oftware V3							

CANON PC	OWERS	бнот						JUNE 20	013							Metz
		Called					10				Const Const			i ô		
LATEST CAMERA MODELS		CANON PowerShot SX 50 HS	CANON PowerShot G 15	CANON PowerShot G 1 X	CANON PowerShot SX 40 HS	CANON PowerShot G 12	CANON PowerShot SX 30 IS	CANON PowerShot G 11	CANON PowerShot SX 20 IS	CANON PowerShot SX 1 IS	CANON PowerShot G 10	CANON PowerShot SX 10 IS	CANON PowerShot G 9	CANON PowerShot S5 IS		
Availibility since Camera type Camera flash TTL system Built-in flash		since Oct '12 System E-TTL II	since Oct '12 System E-TTL II	since Feb '12 System E-TTL II	since Oct '11 System E-TTL II	since Nov '10 System E-TTL II	since Aug '10 System E-TTL II	since Oct '09 System E-TTL II	since Sep '09 System E-TTL II	since Dec '08 System E-TTL II	since Oct '08 System E-TTL II	since Oct '08 System E-TTL II	since Oct '07 System E-TTL II	since Jun '07 System E-TTL II		
Built-in flash with Remote TTL																
58 AF-2 digital for Canon	IJ							flash software ≥ V1								
58 AF-1 digital for Canon								flash software ≥ V2								
52 AF-1 digital for Canon								flash software ≥ V1								
50 AF-1 digital for Canon								flash software ≥ V1								
48 AF-1 digital for Canon								flash software ≥ V1								
44 AF-1 digital for Canon						I I		flash software ≥ V1					 			
36 AF-5 digital for Canon								flash software								
36 AF-4 digital for Canon								≥ V2								
24 AF-1 digital for Canon						I I		flash software ≥ V1								
METZ MECABLITZ 76 MZ-5 digital with SCA adapter		ELASHES														
45 CL 4 digital with SCA adapter					SCA 3102 softw. ≥ M5							3102 re ≥ M4				
54 MZ-4i digital with SCA adapter																
15 MS-1 digital	\bigcirc							flash software ≥ V3								

NIKON								JUNE 2	013								Metz
		0								ÍÔ	Allow and a second seco		0				
LATEST CAMERA MODELS		NIKON D 7100	NIKON D 5200	NIKON D 600	NIKON D 800 E	NIKON D 800	NIKON D 3200	NIKON D 4	NIKON D 5100	NIKON D 7000	NIKON D 3100	NIKON D 5000	NIKON D 3 S	NIKON D 3000	NIKON D 300 S	NIKON D 3 X	NIKON D 90
Availibility since		since Mar '13	since Nov '12	since Sep '12	since Aug '12	since Aug '12	since May '12	since Feb '12	since April '11	since Oct '10	since Sep '10	since May '09	since Nov '09	since Aug '09	since Aug '09	since Feb'09	since Sep '08
Camera type		DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	DSLR
Camera flash TTL system Built-in flash		i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL
Built-in flash with Remote TTL M	laster	•		•	•	•				•					•		•
METZ MECABLITZ S				•	•	•				- •			I	I	•		
58 AF-2 digital for Nikon									flash se ≥	oftware V1							
58 AF-1 digital for Nikon				1						oftware V4				1			
52 AF-1 digital for Nikon				1		 				oftware V1				1			
50 AF-1 digital for Nikon				1						oftware V1				1			
48 AF-1 digital for Nikon			1	1	l I			l I		oftware V3	l I	l I	l I	1		l I	
44 AF-1 digital for Nikon										oftware V1							
36 AF-5 digital for Nikon	-								flash se	oftware							
36 AF-4 digital for Nikon		•								V1							
24 AF-1 digital for Nikon										oftware V1]				
METZ MECABLITZ S	-	LASHES															
76 MZ-5 digital with SCA adapter	. J	-															
45 CL 4 digital with SCA adapter	1							3402 . ≥ M9					D3S			3402 re ≥ M8	
54 MZ-4i digital with SCA adapter													softw. ≥ M10 (for ISO > 64000 (Update in Service)				
15 MS-1 digital	\bigcirc								flash si ≥	oftware V3							

NIKON CC) OLPI)	κ						JUNE 2	013							Metz
								Net C								
LATEST CAMERA MODELS		NIKON Coolpix A	NIKON Coolpix P 7700	NIKON Coolpix P 7100	NIKON Coolpix P 7000	NIKON Coolpix P 5100	NIKON Coolpix P 5000	NIKON Coolpix P 6000								
Availibility since		since May '13	since Sep '12	since Sep '11	since Sep '10	since Sep '07	since Mar '07	since Sep '08								
Camera type Camera flash TTL system		System i-TTL														
Built-in flash		•	•	•	•	•	•	•								
Built-in flash with Remote TTL	L Master															
METZ MECABLITZ	SYSTEM F	LASHES												1		
58 AF-2 digital for Nikon		TEST result will follow			flash software ≥ V1											
58 AF-1 digital for Nikon		TEST result will follow			oftware V2		flash software ≥ V1									
52 AF-1 digital for Nikon		TEST result will follow			flash software ≥ V1											
50 AF-1 digital for Nikon		TEST result will follow			flash software ≥ V1											
48 AF-1 digital for Nikon		TEST result will follow			flash software ≥ V1											
44 AF-1 digital for Nikon		TEST result will follow			flash software ≥ V1											
36 AF-5 digital for Nikon		TEST result will follow			flash s	oftware										
36 AF-4 digital for Nikon	B	TEST result will follow				V1										
24 AF-1 digital for Nikon		TEST result will follow				oftware V1		1								
METZ MECABLITZ	SPECIAL P	LASHES						1	1		1	1	1		1	
76 MZ-5 digital with SCA adapter	J	TEST result will follow					SCA 3402									
45 CL 4 digital with SCA adapter		TEST result will follow			3402 . ≥ M7		softw. ≥ M6									
54 MZ-4i digital with SCA adapter		TEST result will follow					SCA 3402 softw. ≥ M5									
15 MS-1 digital	Ø				flash software ≥ V3											

SONY								JUNE 2	013								Metz
		a server	G		G NI CONTRACTOR									ÍO	f Ô		
LATEST CAMERA MODELS		SONY DSC HX-50***	SONY DSC HX-50V***	SONY ALPHA SLT-A58***	SONY DSC RX1***	SONY NEX 6 ***	SONY ALPHA 99 V ***	SONY ALPHA 37	SONY ALPHA 57	SONY NEX 7	SONY ALPHA 77 V	SONY ALPHA 65 V	SONY ALPHA 35	SONY ALPHA 560	SONY ALPHA 580	SONY ALPHA 55	SONY ALPHA 33
Availibility since Camera type Camera flash TTL system		since May '13 DSLR ADI	since May '13 DSLR ADI	since Apr '13 DSLR ADI	since Dec '12 System ADI	since Nov '12 ML System ADI		since Jul '12 DSLR ADI	since Apr '12 DSLR ADI	since Jan '12 ML System ADI	since Oct '11 DSLR ADI	since Oct '11 DSLR ADI	since Sep'11 DSLR ADI	since Mar'11 DSLR ADI	since Oct '10 DSLR ADI	since Oct '10 DSLR ADI	since Oct '10 DSLR ADI
Built-in flash		•	•	•	•	•		•	•	•	•	•	•	•	•	•	•
Built-in flash with Remote T	TL Master	TEST	TEST					•	•		•	•	•	•	•		•
METZ MECABLIT								•							, ,	•	
58 AF-2 digital for Sony		TEST result will follow	TEST result will follow					flash software ≥ V3						flash software ≥ V1			oftware V2
58 AF-1 digital for Sony		TEST result will follow	TEST result will follow					flash software ≥ V5						flash software ≥ V3			oftware V4
52 AF-1 digital for Sony		TEST result will follow	TEST result will follow								oftware V1						
50 AF-1 digital for Sony		TEST result will follow	TEST result will follow					flash software ≥ V3		1	1			flash software ≥ V1			oftware V2
48 AF-1 digital for Sony		TEST result will follow	TEST result will follow					flash software ≥ V5						flash software ≥ V3			oftware V4
44 AF-1 digital for Sony		TEST result will follow	TEST result will follow					flash software ≥ V2		I	I	I			flash software ≥ V1		
36 AF-5 digital for Sony		TEST result will follow	TEST result will follow							flash s	oftware						
36 AF-4 digital for Sony	F	TEST result will follow	TEST result will follow								v1						
24 AF-1 digital for Sony		TEST result will follow	TEST result will follow								oftware V1						
METZ MECABLIT	Z SPECIAL	. FLASHES															
76 MZ-5 digital with SCA adapter	J	TEST result will follow	TEST result will follow				SCA 3302 software = M8										
45 CL 4 digital with SCA adapter	h.d	TEST result will follow	TEST result will follow							SCA 3302 software ≥ M9	1						SCA 3302 software ≥ M8
54 MZ-4i digital with SCA adapter		TEST result will follow	TEST result will follow														
15 MS-1 digital	\bigcirc									oftware V3							
*** camera with <u>new</u> h	ot choo. Ada	nter required. T	his adapter AD	P-MAA is avai	able from Son												

OLYMPUS				-				JUNE 20	013					_			Metz
			10 :		Ô	T O							fio		Ō:	rô.	
LATEST CAMERA MODELS		OLYMPUS PEN E-PL 6	OLYMPUS PEN E-P 5	OLYMPUS PEN E-PL 5	OLYMPUS OM-D E-M5	OLYMPUS STYLUS XZ-2	OLYMPUS PEN E-PM 2	OLYMPUS PEN E-PM 1	OLYMPUS PEN E-P 3	OLYMPUS PEN E-PL 3	OLYMPUS PEN E-PL 2	OLYMPUS XZ-1	OLYMPUS E - 5	OLYMPUS PEN E-PL 1	OLYMPUS PEN E-P 2	OLYMPUS E - 600	OLYMPUS PEN E-P1
Availibility since Camera type		since Jun '13 ML System	since Jun '13 ML System	since Oct '12 ML System	since Oct '12 DSLR	since Oct '12 System	since Oct '12 ML System	since Sep '11 ML System	since Sep '11 ML System	since Sep '11 ML System	since Mar '11 ML System	since Feb '11 System	since Oct '10 DSLR	since Mar '10 ML System	since Jan '10 ML System	since Nov '09 DSLR	since Jul '09 ML System
Camera flash TTL system Built-in flash / (attached mini fla	ash)	Four Thirds (●)	Four Thirds	Four Thirds (●)	Four Thirds (●)	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds (●)	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds
Built-in flash with Remote TTL			TEST	•	•					•			•			•	
58 AF-2 digital for Oly / Pan	T	TEST result will follow	TEST result will follow	flash s ≥	oftware V2						flash s ≥	oftware V1		1			
58 AF-1 digital for Oly / Pan		TEST result will follow	TEST result will follow		oftware V4						flash s ≥	oftware V2		1			
52 AF-1 digital for Oly / Pan		TEST result will follow	TEST result will follow		oftware V2						flash s ≥			1			
50 AF-1 digital for Oly / Pan		TEST result will follow	TEST result will follow		oftware V2						flash s ≥	oftware V1					
48 AF-1 digital for Oly / Pan		TEST result will follow	TEST result will follow		oftware V4							oftware V2					
44 AF-1 digital for Oly / Pan		TEST result will follow	TEST result will follow		oftware V2						flash s ≥	oftware V1					
36 AF-5 digital for Oly / Pan		TEST result will follow	TEST result will follow							flash s	oftware						
36 AF-4 digital for Oly / Pan		TEST result will follow	TEST result will follow							2	VI						
24 AF-1 digital for Oly / Pan		TEST result will follow	TEST result will follow							flash s ≥	oftware V1			1			
METZ MECABLITZ		FLASHES					•				•		•		•		
76 MZ-5 digital with SCA adapter		TEST result will follow	TEST result will follow														
45 CL 4 digital with SCA adapter	h	TEST result will follow	TEST result will follow								3202 re ≥ M7						
54 MZ-4i digital with SCA adapter		TEST result will follow	TEST result will follow														
15 MS-1 digital	\bigcirc								flash so ≥ `	oftware V3							

PANASON	C							JUNE 2	013								Metz
		0.	0.		Contractions.		Ô.		6	ĨO.		Î O:				10:	0
LATEST CAMERA MODELS					LUMIX				LUMIX			PANASONIC LUMIX	PANASONIC LUMIX	PANASONIC LUMIX	PANASONIC	PANASONIC LUMIX	PANASONIC LUMIX
Availibility since Camera type		G-6 since Jun '13 ML System	GH-3 since Nov '12 ML System	FZ-48 since Aug '12 System	DMC-FZ200 since Aug '12 System	LX 7 since Aug '12 System	DMC-G 5 since Aug '12 ML System	DMC-GX 1 since Jan '12 ML System	FZ 150 since Sep '11 System	G 3 since Jul '11 ML System	GF 2 since Mar '11 ML System	GH 2 since Oct '10 System	FZ 100 since Aug '10 System	FZ 45 since Aug '10 System	LX 5 since Aug '10 System	DMC-G 10 since Jun '10 ML System	DMC-G 2 since May '10 ML System
Camera flash TTL system Built-in flash		Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four-Thirds	Four-Thirds	Four-Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds
Built-in flash with Remote TTL I		TEST LASHES	•														
58 AF-2 digital for Oly / Pan		TEST result will follow	flash software ≥ V2							flash so ≥ `					1		
58 AF-1 digital for Oly / Pan		TEST result will follow	flash software ≥ V4								oftware V2						
52 AF-1 digital for Oly / Pan		TEST result will follow	flash software ≥ V2							flash sa ≥ `							
50 AF-1 digital for Oly / Pan		TEST result will follow	flash software ≥ V2							flash so ≥ '	oftware V1						
48 AF-1 digital for Oly / Pan		TEST result will follow	flash software ≥ V4							flash sa ≥ `	oftware V2						
44 AF-1 digital for Oly / Pan		TEST result will follow	flash software ≥ V2							flash sa ≥ '	oftware V1						
36 AF-5 digital for Oly / Pan	-	TEST result will follow								flash software							
36 AF-4 digital for Oly / Pan	T	TEST result will follow								≥ V1							
24 AF-1 digital for Oly / Pan		TEST result will follow								flash software ≥ V1							
METZ MECABLITZ		LASHES							<u>.</u>		<u>.</u>			<u>,</u>			
76 MZ-5 digital with SCA adapter	J	TEST result will follow															
45 CL 4 digital with SCA adapter	Ĩ	TEST result will follow								SCA 3202 software ≥ M7							
54 MZ-4i digital with SCA adapter		TEST result will follow															
15 MS-1 digital	\bigcirc									oftware V3							

PENTAX								JUNE 20	013								Metz
		Θ	Ð	O			мъ,	O					10			6	
LATEST CAMERA MODELS		PENTAX K - 5 IIs	PENTAX K - 5 II	PENTAX K 30	PENTAX K - O1	PENTAX Q	PENTAX 645 D	PENTAX K - 5	PENTAX K - r	PENTAX K - x	PENTAX K 7	PENTAX K - m	PENTAX K 20 D	PENTAX K 200 D	PENTAX D 100 D	PENTAX D 10 D	
Availibility since Camera type		since Oct '12 DSLR	since Oct '12 DSLR	since Jul '12 DSLR	since Mar '12 DSLR	since Sep '11 ML System	since Mar '12 Medium Format	since Oct '10 DSLR	since Oct '10 DSLR	since Oct '09 DSLR	since Jul '09 DSLR	since Nov '08 DSLR	since Apr'08 DSLR	since Apr'08 DSLR	Super since Jul '07 DSLR	since Jan '06 DSLR	
Camera flash TTL system Built-in flash		P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL 	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	P-TTL	
Built-in flash with Remote TTL		• LASHES	•	•				•	•	•	•	•	•	•		•	
58 AF-2 digital for Pentax			flash software ≥ V4	I							oftware V1			I I			
58 AF-1 digital for Pentax			flash software ≥ V4								oftware V1						
52 AF-1 digital for Pentax									flash software ≥ V1								
50 AF-1 digital for Pentax			flash software ≥ V4								oftware V1						
48 AF-1 digital for Pentax									flash software ≥ V1								
44 AF-1 digital for Pentax				l	l				flash software ≥ V1								
36 AF-5 digital for Pentax									flash software								
36 AF-4 digital for Pentax									≥ V1								
24 AF-1 digital for Pentax									flash software ≥ V1		1				1		
METZ MECABLITZ	1	LASHES					•			•	•		-	•	-		
76 MZ-5 digital with SCA adapter	. J	TEST result will follow	TEST result will follow	TEST result will follow													
45 CL 4 digital with SCA adapter	h.d	TEST result will follow	TEST result will follow					3702 re ≥ M3						SCA 3702 software ≥ M2			
54 MZ-4i digital with SCA adapter		TEST result will follow	TEST result will follow														
15 MS-1 digital	\bigcirc								flash software ≥ V3								

SAMSUNG								JUNE 2	013						Metz
LATEST CAMERA MODELS		SAMSUNG NX 2000	SAMSUNG NX 1100	SAMSUNG NX 300	SAMSUNG NX 20	SAMSUNG EX 2F	SAMSUNG NX 210	SAMSUNG NX 200	SAMSUNG NX 11	SAMSUNG NX 1000	SAMSUNG NX 100	SAMSUNG NX 5	SAMSUNG NX 10		
Availibility since Camera type		since May '13 ML System	since Mar '13 ML System	since Feb '13 ML System	since Oct '12 ML System	since Aug '12 System	since May '12 ML System	since Sep '11 ML System	since Mar '11 ML System	since Sep '10 ML System	since Sep '10 ML System	since Jun '10 ML System	since Mar '10 ML System		
Camera flash TTL system Built-in flash		A-TTL	A-TTL	A-TTL	A-TTL	A-TTL	A-TTL	A-TTL	A-TTL	A-TTL	A-TTL	A-TTL	A-TTL		
Built-in flash with Remote TTL M		 LASHES													
58 AF-2 digital	T						NO VERSION	N AVAILABLE							
58 AF-1 digital			1		1		NO VERSION	N AVAILABLE							
52 AF-1 digital							NO VERSION	N AVAILABLE							
50 AF-1 digital							NO VERSION	N AVAILABLE							
48 AF-1 digital							NO VERSION	N AVAILABLE							
44 AF-1 digital for Samsung		TEST result will follow	TEST result will follow						oftware V1						
36 AF-5 digital	T						NO VERSION	N AVAILABLE			l				
36 AF-4 digital	T						NO VERSION	N AVAILABLE							
24 AF-1 digital			1		1		NO VERSION	N AVAILABLE							
METZ MECABLITZ	1	FLASHES													<u></u>
76 MZ-5 digital with SCA adapter							NO SCA ADAPI	TER AVAILABLE							
45 CL 4 digital with SCA adapter							NO SCA ADAPI	TER AVAILABLE							
54 MZ-4i digital with SCA adapter							NO SCA ADAP	TER AVAILABLE							
15 MS-1 digital	Õ						NO SAMSUNG N	NODE AVAILABLI							

LEICA								JUNE 2	013								Metz
(*) = fixing on hotshoe not pos	rible										Ú Ú						
LATEST CAMERA MODELS	51010	LEICA M (Typ 240)	LEICA M-E	LEICA M Monochrome	LEICA X-2	LEICA M 9 P	LEICA S 2	LEICA X 1 (*)	LEICA M 9	LEICA M 8.2	LEICA M 8	LEICA D-LUX 6	LEICA V-LUX 4	LEICA V-LUX 3	LEICA V-LUX 2	LEICA D-LUX 5	LEICA D-LUX 4
Availibility since		since Jan '13	since Sep '12	since Aug '12	since May '12	since Jul '11	since Dec '09	since Dec '09	since Sep '09	since Sep '08	since Nov '06	since Nov '12	since Nov '12	since Jan '12	since Oct '10	since Oct '10	since Oct' 08
Camera type		DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	DSLR	System	System	System	System	System	System
Camera flash TTL system Built-in flash		Leica TTL	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four-Thirds	FourThirds
Built-in flash with Remote TTL	Maatar											•		•	•	•	•
METZ MECABLITZ																	
58 AF-2 digital for Oly / Pan															oftware V1		1
58 AF-1 digital for Oly / Pan															oftware V2		
52 AF-1 digital for Oly / Pan															oftware V1		
50 AF-1 digital for Oly / Pan															oftware V1		
48 AF-1 digital for Oly / Pan															oftware V2		1
44 AF-1 digital for Oly / Pan															oftware V1		1
36 AF-5 digital for Oly / Pan														flash s	oftware		
36 AF-4 digital for Oly / Pan															V1		
24 AF-1 digital for Oly / Pan															oftware V1		1
METZ MECABLITZ	SPECIAL F	LASHES						•									
76 MZ-5 digital with SCA adapter	J						3502										
45 CL 4 digital with SCA adapter	Ţ					softwa	re ≥ M5								3202 . ≥ M7		
54 MZ-4i digital with SCA adapter										3502 re ≥ M4							
15 MS-1 digital	\bigcirc														oftware V3		